

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

THIS PAGE BLANK (USPTO)

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04M 15/00	A1	(11) International Publication Number: WO 98/04080 (43) International Publication Date: 29 January 1998 (29.01.98)
(21) International Application Number: PCT/IL97/00227 (22) International Filing Date: 7 July 1997 (07.07.97) (30) Priority Data: 118898 21 July 1996 (21.07.96) IL 08/795,969 5 February 1997 (05.02.97) US (71)(72) Applicant and Inventor: ZEITMAN, Shlomo [IL/IL]; Nili Street 51, 43206 Raanana (IL). (74) Agents: COLB, Sanford, T. et al.; Sanford T. Colb & Co., P.O. Box 2273, 76122 Rehovot (IL).		(81) Designated States: AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>

(54) Title: PARKING MANAGEMENT SYSTEM**(57) Abstract**

A parking management communication system including a central control unit (12) having a database (14), a central interface unit (16) and at least one user interface (20, 22, and 26), the central interface unit (16) being in communication with the at least one user interface unit (20, 22, and 26) via at least one of wired and wireless communication link.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

1
PARKING MANAGEMENT SYSTEM

FIELD OF THE INVENTION

The present invention relates to parking management systems, in general, and particularly to communication systems for parking management systems.

5 BACKGROUND OF THE INVENTION

The ever-increasing use of automobiles and limited space for parking, particularly in urban areas, has led to serious problems in parking management. It is often expensive and logistically cumbersome for police or municipality officials to keep track of offenders who park their vehicles without paying for the parking space. Parking meters do not
10 fully solve the problem because they require a large investment on the part of the municipality and comprehensive monitoring by enforcement personnel.

Another parking management problem is the ever-growing lack of parking space available. It is difficult, if not impossible, for a driver wishing to travel to an urban district to know ahead of time if there will be available parking space. In short, there is a lack
15 of communication in the field of parking management, between municipality, driver and parking space.

SUMMARY OF THE INVENTION

The present invention seeks to provide a parking management communication system, encompassing municipality, driver and parking space. The communication system of
20 the present invention may be used to report parking, monitor parking and reserve parking spaces. The present invention also allows law enforcement officials to monitor parking facilities with greater ease and expediency.

It is noted that throughout the specification and claims, a parking facility includes any parking space or parking lot, private or public.

There is thus provided in accordance with a preferred embodiment of the present invention, a parking management communication system including a central control unit having a data base, a central interface unit and at least one user interface unit, the central interface unit being in communication with the at least one user interface unit via at least one of
5 a wired and wireless communication link.

In accordance with a preferred embodiment of the present invention, the data base includes at least one of the following data: parking facility identity, parking facility availability of a certain region, vehicle identification, user identification, billing information, time related information of use of a parking facility, and law enforcement information.

10 The communication link may include telephone lines, wireless telephone links, communication network systems, such as the Internet, and/or citizen band radio.

Additionally in accordance with a preferred embodiment of the present invention, the communication system includes billing apparatus for billing a user for use of the parking facility. Preferably, a telephone account of the user is charged for use of the parking
15 facility.

Further in accordance with a preferred embodiment of the present invention, the communication system includes a law enforcement interface unit for monitoring authorized use of the parking facility.

There is also in accordance with a preferred embodiment of the present
20 invention, a method for parking reporting including parking a vehicle at a parking facility, and reporting to a central control unit parking data including vehicle and/or user identity and time of parking. The reporting may be done by any known communications link, such as telephone, cellular telephone, mobile telephone, or Internet

In accordance with a preferred embodiment of the present invention, the exact
25 location of the parking facility is not reported. In accordance with another preferred

embodiment of the present invention, the exact location of the parking facility is reported. The method may further include billing the user for use of the parking facility, such as charging the user's telephone account.

There is also in accordance with a preferred embodiment of the present invention, a method for monitoring use of a region of parking facilities including providing a central control unit having a data base and a central interface unit, the central interface unit being in communication with the parking facilities, and communicating with the central control unit so as to receive a report of which parking facilities are being used and which are vacant. Preferably the method further includes selecting only those parking facilities which the central control unit reports as being vacant and filing a traffic report against a vehicle using a vacant parking facility without authorization.

There is also provided in accordance with a preferred embodiment of the present invention, a method for reserving a parking facility including communicating a reservation request to a central control unit, causing the central control unit to provide a user with a map of a region in which the user is interested in parking, selecting a parking facility and sending a message to the central control to reserve the parking facility. The central-control unit then registers the reservation. The next time a potential user, other than the user who registered the reservation, wishes to park in the reserved parking facility and communicates with the central control unit, the potential user will receive a message that the facility is already reserved and not authorized for use. The user who registered the reservation, upon parking his vehicle in the reserved facility, reports his identification number to the central control unit and receives confirmation of authorization to park there.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will be understood and appreciated more fully from the following detailed description, taken in conjunction with the drawings in which:

Fig. 1 is a simplified pictorial illustration of a parking management communication system, constructed and operative in accordance with a preferred embodiment of the present invention;

Fig. 2 is a simplified flow chart of a method for parking reporting and for monitoring use of a region of parking facilities, in accordance with a preferred embodiment of the present invention; and

Fig. 3 is a simplified flow chart of a method for reserving a parking facility, in accordance with a preferred embodiment of the present invention

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

Reference is now made to Fig. 1 which illustrates a parking management communication system 10, constructed and operative in accordance with a preferred embodiment of the present invention. Parking management communication system 10 preferably includes a central control unit 12 having a data base 14, and a central interface unit 16. Central control unit 12 may include any type of data processing and information center, such as a central processing unit in a municipality. Data base 14 preferably includes any information pertinent to monitoring and/or billing use of parking facilities, such as parking facility identity, parking facility availability of a certain region, vehicle identification, user identification, billing information, and time related information of use of a parking facility. Data base 14 may also include law enforcement information, such as identity of stolen vehicles or previous parking or traffic violations.

Central interface unit 16 communicates with at least one user interface unit 20 via a wired or a wireless communication link, which may include telephone lines, wireless telephone links, communication network systems, such as the Internet, and/or citizen band radio. Depending on the type of communication chosen, central interface unit 16 may include, for example, any type of telephone exchange, LAN or transceiver. User interface unit 20 may

include a public telephone 22, a mobile telephone 24 or a computer terminal 26 connected to a modem 28 or computer network (not shown), for example.

Additionally in accordance with a preferred embodiment of the present invention, communication system 10 includes billing apparatus 30 for billing a user for use of the parking facility. Billing apparatus 30 may include any type of system or software for generating debit notes and communicating debits to a bill collection facility, bank account, credit card, charge card, smart card, charge account or virtual money. Since parking charges are generally small, preferably a telephone account of the user is charged for use of the parking facility.

Often users of a parking lot have a monthly subscription for the use thereof. In such a case, billing apparatus 30 may conveniently charge a user's account in accordance with predetermined terms of the subscription.

Further in accordance with a preferred embodiment of the present invention, communication system 10 includes a law enforcement interface unit 31 for monitoring authorized use of the parking facility. Law enforcement interface unit 31 preferably includes a receiver 32 which receives pertinent information from central interface unit 16, preferably by wireless communication, regarding, for example, parking facility availability of the region, vehicle identification, user identification, and time related information of use of a parking facility. Law enforcement interface unit 31 preferably includes a report generator 34 for generating a parking report 36 which may be served on site to users of the parking facilities. Alternatively or additionally, central control unit 12 may generate parking reports directly to a law enforcement agency or municipality.

One typical operation of communication system 10 will now be described. Reference is now made to Fig. 2 which illustrates, in flow chart format, a method for parking reporting and for monitoring use of a region of parking facilities, in accordance with a

preferred embodiment of the present invention. Optionally, upon reaching a parking facility, a user may use user interface unit 20, for example, mobile telephone 24, to perform some initial act required before using the parking facility. For example, the user may report his arrival, such as to central control unit 12 or to a parking attendant. Another example is a parking lot wherein entry is barred by a barrier operable by a wireless communication unit carried by authorized users. The user may use user interface unit 20 to communicate an authorization signal to lift the barrier to allow access to a parking facility. A further example is a parking lot equipped with an elevator or other lifting devices for vehicles. The lifting device may be suitably designed for communication with a wireless communication unit carried by authorized users. The user may use user interface unit 20 to communicate an authorization signal to operate the lifting device.

After parking his car in a parking facility, the user reports parking to central interface unit 16 via user interface unit 20. The report may include vehicle identification, such as license plate number, and/or user identity, such as name or driver license number, parking facility identification number, time of parking and desired duration of parking. Alternatively, such as in a parking lot, the parking of the vehicle in the parking facility may be sensed by a sensor such as an optical sensor which reads vehicle identification data and automatically reports the parking of the vehicle to central interface unit 16. Another example of such sensors is a card reader which reads user identification data from a user identification card. Such a sensor may be used to check whether the vehicle has authorization to use the parking facility. For example, if the user of the vehicle reserved the use of the parking facility, the sensor may check if the vehicle which arrived indeed is the one for which a reservation was made.

Central control unit 12, via central interface unit 16, may transmit to law enforcement interface unit 31, typically held by a law enforcement officer, a report of which parking facilities are being used and which are vacant. In accordance with a preferred

embodiment of the present invention, the exact location of the parking facility is not reported, and as will now be explained, is not even necessary for locating parking violations. Since a law enforcement officer has received a report from which he knows which parking facilities are supposed to be vacant, he merely has to select only those parking facilities which central control unit 12 reports as being vacant and file a traffic report against a vehicle using a vacant parking facility without authorization. This saves him from having to monitor the entire parking region. However, in accordance with another preferred embodiment of the present invention, the exact location of the parking facility may be reported. In such an event, each parking facility may be coded with an identification number for monitoring by central control unit 12.

It is appreciated that the law enforcement officer may also check from time to time parking facilities which central control unit 12 reports as being filled with authorization. This may be necessary to ensure that no user is trying to "cheat" the system. For example, authorization may be granted to use a given parking facility for only a predetermined period of time. Unscrupulous persons may try to make unauthorized use of the parking facility beyond this time, such as by telephoning to central control unit 12 unlawfully in the name of another person.

Alternatively, the vehicles in a given area may be identified by their license plates or other identification data, such as by a law enforcement officer who patrols the area and records the identification data or by an automatic data recording system. The vehicle identification data may then be verified to check if authorization has been granted for use of the parking facility.

The method may further include billing the user for use of the parking facility, such as charging the user's telephone account.

The user may report having finished using the parking facility to central interface unit 16 via user interface unit 20.

Reference is now made to Fig. 3 which illustrates a simplified flow chart of a method for reserving a parking facility, in accordance with a preferred embodiment of the present invention. A user may reserve a parking facility, such as by using user interface unit 20, e.g., computer terminal 26 and modem 28, to communicate with central control unit 12, such as via the Internet. Central control unit 12 may provide the user with a map of a region in which the user is interested in parking. The user may select a parking facility and send a message to central control 12 to reserve the parking facility. Central control unit 12 then registers the reservation. The next time a potential user, other than the user who registered the reservation, wishes to park in the reserved parking facility and communicates with central control unit 12, the potential user will receive a message via central interface unit 16 that the facility is already reserved and not authorized for use. The user who registered the reservation, upon parking his vehicle in the reserved facility, reports his identification number to central control unit 12 and receives confirmation of authorization to park there.

It is appreciated that various features of the invention which are, for clarity, described in the contexts of separate embodiments may also be provided in combination in a single embodiment. Conversely, various features of the invention which are, for brevity, described in the context of a single embodiment may also be provided separately or in any suitable subcombination.

It will be appreciated by persons skilled in the art that the present invention is not limited by what has been particularly shown and described hereinabove. Rather the scope of the present invention is defined only by the claims which follow:

C L A I M S

We claim:

1. A parking management communication system comprising:
a central control unit having a data base;
5 a central interface unit in communication with said central control unit; and
at least one user interface unit, said central interface unit being in
communication with said at least one user interface unit via at least one of a wired and wireless
communication link.
- 10 2. A parking management communication system according to claim 1 wherein
said data base comprises data selected from the group consisting of: parking facility identity,
parking facility availability of a certain region, vehicle identification, user identification, billing
information, time related information of use of a parking facility, and law enforcement
information.
- 15 3. A parking management communication system according to claim 1 or claim 2
wherein said communication link comprises at least one of telephone lines, wireless telephone
links, communication network system and citizen band radio.
- 20 4. A parking management communication system according to claim 1 and
comprising billing apparatus for billing a user for use of said parking facility.
5. A parking management communication system according to claim 4 wherein
said billing apparatus charges a telephone account of said user for use of said parking facility.

6. A parking management communication system according to claim 1 or claim 2 and comprising a law enforcement interface unit in communication with said central control unit for monitoring authorized use of said parking facility.

5

7. A parking management communication system according to claim 1 or claim 2 wherein said at least one user interface unit communicates an authorization signal to allow access to a parking facility.

10

8. A method for parking reporting comprising:
parking a vehicle at a parking facility; and
reporting to a central control unit, via a communications link, parking data comprising at least one of vehicle identity, user identity and time of parking.

15

9. A method according to claim 8 wherein only an approximate location of said parking facility is reported.

10. A method according to claim 8 wherein an exact location of said parking facility is reported.

20

11. A method according to any of claims 8 - 10 and comprising billing a user for use of said parking facility.

12. A method according to claim 11 wherein said billing comprises charging a
25 telephone account of said user.

13. A method according to any of claims 8 - 10 and comprising performing an initial act required to allow access to the parking facility.

5 14. A method according to claim 13 wherein performing said act is selected from the group of activities consisting of: reporting arrival at the parking facility, communicating an authorization signal to lift a barrier to allow access to the parking facility, and communicating an authorization signal to operate a vehicle lifting device.

10 15. A method for monitoring use of a region of parking facilities comprising:
providing a central control unit having a data base and a central interface unit,
said central interface unit being in communication with said parking facilities; and
communicating with said central control unit so as to receive a report of which
parking facilities are being used and which are vacant.

15 16. A method according to claim 15 and comprising selecting only those parking facilities which said central control unit reports as being vacant and filing a traffic report against a vehicle using a vacant parking facility without authorization.

20 17. A method according to claim 15 and comprising collecting data regarding use of said parking facilities before said step of communicating with said central control unit, and comparing said collected data with said report after communicating with said central control unit

18 A method for reserving a parking facility comprising:
sending a message to a central control unit to reserve said parking facility;
causing said central control unit to register said message and reserve said
parking facility;

5 parking a vehicle in said reserved facility,
reporting an identification datum to said central control unit; and
receiving confirmation of authorization to park said reserved facility.

19. A method for reserving a parking facility comprising:


10 communicating a reservation request to a central control unit;
causing said central control unit to provide a user with a map of a region in
which said user is interested in parking;

selecting a parking facility;

sending a message to said central control to reserve said parking facility; and


15 causing said central control unit to register said message and reserve said
parking facility.

20. A method according to claim 18 or claim 19 wherein if a potential user, other
than said user who registered said reservation, wishes to park in said reserved parking facility
20 and communicates with said central control unit, then said potential user receives a message
that said facility is already reserved and not authorized for use.




2/3

FIG. 2



3/3

FIG. 3



INTERNATIONAL SEARCH REPORT

International application No.

PCT/IL97/00227

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : H04M 15/00

US CL : Please See Extra Sheet.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 379/106.01, 106.11, 112, 114, 116, 119; 340/932, 932.2, 933, 937, 938

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X ---- Y	US, A, 5,432,508 (JACKSON) 11 JULY 1995, ABSTRACT, FIGURES 1-9, AND COLUMNS 1-22.	1-13, 15-20 -----14
X	US, A, 5,029,094 (WONG) 07 JULY 1991, SEE ABSTRACT AND FIGURES 1-2.	8
X	US, A, 5,339,000 (BASHAN et al.) 16 AUGUST 1994, FIGURE 1 AND COLUMN 4 LINE 8-COLUMN 5 LINE 10.	8
X	US, A, 5,402,475 (LESNER ET AL.) 28 MARCH 1995, COLUMN 5 LINES 24-30, COLUMN 5 LINES 54-57, FIGURE 3, AND COLUMN 7 LINES 1-13.	8

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y* document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search 22 SEPTEMBER 1997	Date of mailing of the international search report 29 OCT 1997
--	---

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

REXFORD BARNIE

Telephone No. (703) 308-2744

Form PCT/ISA/210 (second sheet)(July 1992)*

INTERNATIONAL SEARCH REPORT

International application No.
PCT/IL97/00227

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 5,500,515 (FARMONT) 19 MARCH 1996, ABSTRACT AND COLUMN 1 LINE 55-COLUMN 2 LINE 26.	14
Y	US, A, 5,034,739 (GRUHL) 23 JULY 1991, COLUMN 1 LINE 55-COLUMN 2 LINE 52.	14
Y	US, A, 4,029,218 (MATSUURA) 14 JULY 1977, ABSTRACT.	14

Form PCT/ISA/210 (continuation of second sheet)(July 1992)*

INTERNATIONAL SEARCH REPORT

International application No.
PCT/IL97/00227

A. CLASSIFICATION OF SUBJECT MATTER:
US CL :

379/106.01, 106.11, 112, 114, 116, 119; 340/932, 932.2, 933, 937, 938